

<b>Description:</b>	SOFSILK™ silk sutures are nonabsorbable, sterile, non-mutagenic surgical sutures composed of natural proteinaceous silk fibers called fibroin. This protein is derived from the domesticated silkworm species <i>Bombyx mori</i> of the family bombycidae. The silk fibers are treated to remove the naturally-occurring sericin gum, bleached and braided to produce SOFSILK™ surgical silk sutures. The braided sutures are available coated uniformly with silicone or a special wax mixture to reduce capillarity and to increase surface lubricity to enhance handling characteristics, ease of passage through tissue and knot run-down properties.
<b>Characteristics:</b>	The manufacturing process, from braiding to coating, give the suture superior softness and compliance for maximum surgical hand. The proprietary coating process provides smooth flow through tissue while maintaining optimal knot security.
<b>Indications:</b>	SOFSILK™ sutures are indicated for use in general soft tissue approximation and/or ligation, including use in cardiovascular, ophthalmic, and neurological surgery.
<b>Actions:</b>	SOFSILK™ sutures elicit a minimal acute inflammatory reaction in tissue, which is followed by gradual encapsulation of the suture by fibrous connective tissue.
<b>Tensile Strength:</b>	While SOFSILK™ sutures are not absorbed, progressive degradation of the proteinaceous silk fiber in vivo may result in gradual loss of the suture tensile strength over time.
<b>Sterilization:</b>	Gamma irradiation.
<b>Packaging:</b>	SOFSILK™ sutures are available white or colored black with Logwood extract and uniformly coated with silicone or with a special wax mixture, in sizes 5 (7 Metric) and 2 (5 Metric) through 9-0 (0.3 Metric). The sutures are supplied sterile, in pre-cut lengths and ligating reels, non-neededled or affixed to needles using both permanent and removable needle attachment techniques in one, two and three dozen box quantities.






Non Needed									
Description	Size	Size (Metric)	Length (cm)	Color	Units per box		Phasing-out	Reorder code	
Pre-Cut Suture	5-0	1	12x45	Black	36	Wax Coated		S-182	
	4-0	1.5	12x45	Black	36	Wax Coated		S-183	
	4-0	1.5	12x45	Black	24	Wax Coated		S-193	
	4-0	1.5	12x60	Black	36	Wax Coated		S-243	
	4-0	1.5	12x75	Black	36	Wax Coated		S-303	
	3-0	2	12x45	Black	36	Wax Coated		S-184	
	3-0	2	12x45	Black	24	Wax Coated		S-194	
	3-0	2	12x60	Black	36	Wax Coated		S-244	
	3-0	2	12x75	Black	36	Wax Coated		S-304	
	2-0	3	12x45	Black	36	Wax Coated		S-185	
	2-0	3	12x45	Black	24	Wax Coated		S-195	
	2-0	3	12x60	Black	36	Wax Coated		S-245	
	2-0	3	12x75	Black	36	Wax Coated		S-305	
	2-0	3	2x150	Black	36	Wax Coated		S-605	
	0	3.5	12x45	Black	24	Wax Coated		S-176	
	0	3.5	6x45	Black	24	Wax Coated		S-196	
	0	3.5	12x60	Black	24	Wax Coated		S-346	
	0	3.5	6x60	Black	36	Wax Coated		S-246	
	0	3.5	12x75	Black	24	Wax Coated		S-316	
	0	3.5	2x150	Black	36	Wax Coated		S-606	
	1	4	6x45	Black	36	Wax Coated		S-187	
	1	4	6x45	Black	24	Wax Coated		S-197	
	1	4	12x75	Black	24	Wax Coated		S-317	
	1	4	2x150	Black	36	Wax Coated		S-607	
	2	5	12x75	Black	24	Wax Coated		S-318	
	2	5	2x150	Black	36	Wax Coated		S-608	
	4	6	180	Black	12	Beads and Collars Wax Coated			S-199
	5	7	3x60	Black	36	Wax Coated		S-282	

**Sofsilik™** Coated, Braided Silk Non-Absorbable Sutures





Non Needed								
Description	Size	Size (Metric)	Length (cm)	Color	Units per box		Phasing-out	Reorder code
Standard Length	2-0	3	100	Black	36	Wax Coated		S-203
	0	3.5	100	Black	36	Wax Coated		S-204
	1	4	100	Black	36	Wax Coated		S-205
	2	5	100	Black	36	Wax Coated		S-206
Ligating Reel	4-0	1.5	250	Black	24	Wax Coated		LS-640
	3-0	2	250	Black	24	Wax Coated		LS-639
	2-0	3	250	Black	24	Wax Coated		<b>LS-638</b>
	0	3.5	250	Black	24	Wax Coated		<b>LS-637</b>
	1	4	250	Black	24	Wax Coated		LS-636

Reverse Cutting								
Description	Size	Size (Metric)	Length (cm)	Color	Units per box		Phasing-out	Reorder code
3/8 CIRCLE 12 mm 	6-0	0.7	45	Black	36	Silicone Coated		<b>S-1172</b>
	5-0	1	45	Black	36	Wax Coated		S-1173
	4-0	1.5	45	Black	36	Wax Coated		<b>S-1174</b>
	4-0	1.5	75	Black	36	Wax Coated		S-1373
3/8 CIRCLE 12 mm 	6-0	0.7	45	Black	12	Silicone Coated		<b>S-1272</b>
	5-0	1	45	Black	12	Wax Coated		S-1273
	4-0	1.5	30	Black	12	Wax Coated		S-1735
	4-0	1.5	45	Black	12	Wax Coated		S-1274
	4-0	1.5	45	White	12	Silicone Coated		<b>S-1633</b>






**Sofsilik™** Coated, Braided Silk Non-Absorbable Sutures

Reverse Cutting								
Description	Size	Size (Metric)	Length (cm)	Color	Units per box		Phasing-out	Reorder code
<b>3/8 CIRCLE</b> 16 mm 	6-0	0.7	45	Black	36	Silicone Coated		<b>SS-681</b>
	5-0	1	75	Black	36	Wax Coated		SS-673
	4-0	1.5	45	Black	12	Wax Coated		SS-686
	4-0	1.5	75	Black	36	Wax Coated		<b>SS-645</b>
	3-0	2	75	Black	36	Wax Coated		SS-745
	2-0	3	75	Black	36	Wax Coated		SS-746
<b>3/8 CIRCLE</b> 19 mm 	5-0	1	45	Black	36	Wax Coated		SS-682
	5-0	1	45	Black	12	Wax Coated		SS-682-G
	5-0	1	75	Black	36	Wax Coated		SS-652
	4-0	1.5	45	Black	36	Wax Coated		<b>SS-683</b>
	4-0	1.5	45	Black	12	Wax Coated		SS-683-G
	4-0	1.5	75	Black	36	Wax Coated		<b>SS-653</b>
	3-0	2	45	Black	36	Wax Coated		<b>SS-694</b>
	3-0	2	75	Black	36	Wax Coated		<b>SS-654</b>
	2-0	3	75	Black	36	Wax Coated		<b>SS-655</b>
	0	3.5	75	Black	36	Wax Coated		SS-656
	1	4	75	Black	36	Wax Coated		SS-657
<b>3/8 CIRCLE</b> 24 mm 	4-0	1.5	45	Black	36	Wax Coated		SS-629
	4-0	1.5	75	Black	36	Wax Coated		SS-783
	3-0	2	45	Black	36	Wax Coated		<b>SS-684</b>
	3-0	2	45	Black	12	Wax Coated		SS-684-G
	3-0	2	75	Black	36	Wax Coated		SS-784
	2-0	3	45	Black	36	Wax Coated		<b>SS-695</b>
	2-0	3	75	Black	36	Wax Coated		<b>SS-785</b>
	0	3.5	75	Black	36	Wax Coated		SS-786
1	4	75	Black	36	Wax Coated		SS-787	


**Sofsilk™** Coated, Braided Silk Non-Absorbable Sutures




Reverse Cutting								
Description	Size	Size (Metric)	Length (cm)	Color	Units per box		Phasing-out	Reorder code
<b>3/8 CIRCLE</b> 26 mm 	2-0	3	45	Black	36	Wax Coated		<b>SS-685</b>
	2-0	3	45	Black	12	Wax Coated		SS-685-G
<b>3/8 CIRCLE</b> 30 mm 	3-0	2	75	Black	36	Wax Coated		SS-675
	2-0	3	45	Black	36	Wax Coated		<b>SS-677</b>
	2-0	3	45	Black	12	Wax Coated		SS-677-G
	2-0	3	75	Black	36	Wax Coated		<b>SS-679</b>
	0	3.5	45	Black	36	Wax Coated		<b>SS-678</b>
	0	3.5	45	Black	12	Wax Coated		SS-678-G
	0	3.5	75	Black	36	Wax Coated		<b>SS-680</b>
	0	3.5	5x75	Black	24	Wax Coated D-TACH™		SS-70-M
	1	4	75	Black	36	Wax Coated		<b>SS-689</b>
<b>3/8 CIRCLE</b> 39 mm 	3-0	2	75	Black	36	Wax Coated		SS-649
	2-0	3	75	Black	36	Wax Coated		<b>SS-648</b>
	0	3.5	75	Black	36	Wax Coated		<b>SS-647</b>
	1	4	75	Black	36	Wax Coated		<b>SS-646</b>
	2	5	75	Black	36	Wax Coated		<b>SS-651</b>
<b>3/8 CIRCLE</b> 77 mm 	2	5	75	Black	24	Wax Coated		CS-482
	3	6	75	Black	24	Wax Coated		CS-483

**Sofsilk™** Coated, Braided Silk Non-Absorbable Sutures

Reverse Cutting								
Description	Size	Size (Metric)	Length (cm)	Color	Units per box	Phasing-out	Reorder code	
1/2 CIRCLE 18 mm 	4-0	1.5	45	Black	36	Wax Coated	SS-733	
	4-0	1.5	75	Black	36	Wax Coated	SS-630	
	3-0	2	75	Black	36	Wax Coated	SS-631	
	2-0	3	75	Black	36	Wax Coated	SS-637	
	1	4	75	Black	36	Wax Coated	SS-636	
1/2 CIRCLE 24 mm 	3-0	2	45	Black	36	Wax Coated	SS-732	
	3-0	2	75	Black	36	Wax Coated	SS-632	
	2-0	3	45	Black	36	Wax Coated	SS-734	
	2-0	3	75	Black	36	Wax Coated	SS-633	
	2-0	3	75	Black	12	Wax Coated	SS-633-G	
1/2 CIRCLE 26 mm 	2-0	3	45	Black	36	Wax Coated	CS-390	
1/2 CIRCLE 37 mm 	2-0	3	75	Black	36	Wax Coated	CS-490	
STRAIGHT 51 mm 	2-0	3	75	Black	36	Wax Coated	SS-523	
	1	4	75	Black	36	Wax Coated	SS-525	

**Sofsilk™** Coated, Braided Silk Non-Absorbable Sutures



Reverse Cutting								
Description	Size	Size (Metric)	Length (cm)	Color	Units per box		Phasing-out	Reorder code
<b>STRAIGHT</b> 60 mm  	4-0	1.5	75	Black	36	Wax Coated		SS-621
	3-0	2	75	Black	36	Wax Coated		SS-622
	3-0	2	100	Black	36	Wax Coated		SS-722
	2-0	3	75	Black	36	Wax Coated		<b>SS-623</b>
	2-0	3	75	Black	12	Wax Coated		SS-623-G
	2-0	3	100	Black	36	Wax Coated		SS-723
	0	3.5	75	Black	36	Wax Coated		<b>SS-624</b>

Cosmetic Reverse Cutting								
Description	Size	Size (Metric)	Length (cm)	Color	Units per box		Phasing-out	Reorder code
<b>3/8 CIRCLE</b> 11 mm  	6-0	0.7	45	Black	36	SURGALLOY™ Silicone Coated		SS-5639
	6-0	0.7	45	Black	12	SURGALLOY™ Silicone Coated		SS-1639-G
	5-0	1	45	Black	12	SURGALLOY™ Wax Coated		SS-1650-G
<b>3/8 CIRCLE</b> 13 mm  	6-0	0.7	45	Black	12	SURGALLOY™ Silicone Coated		SS-5649-G
	5-0	1	45	Black	36	SURGALLOY™ Wax Coated		SS-5640
	5-0	1	45	Black	12	SURGALLOY™ Wax Coated		SS-5640-G
	4-0	1.5	45	Black	12	SURGALLOY™ Wax Coated		SS-5641-G
<b>3/8 CIRCLE</b> 16 mm  	5-0	1	45	Black	36	SURGALLOY™ Wax Coated		SS-5678
	4-0	1.5	45	Black	12	SURGALLOY™ Wax Coated		SS-1689-G





**Sofsilik™** Coated, Braided Silk Non-Absorbable Sutures





**Cosmetic Reverse Cutting**

Description	Size	Size (Metric)	Length (cm)	Color	Units per box	Phasing-out	Reorder code
<b>3/8 CIRCLE</b> 19 mm 	5-0	1	45	Black	36	SURGALLOY™ Wax Coated	SS-5676
	4-0	1.5	45	Black	36	SURGALLOY™ Wax Coated	SS-5677
	4-0	1.5	45	Black	12	SURGALLOY™ Wax Coated	SS-5677-G
	3-0	2	45	Black	36	SURGALLOY™ Wax Coated	SS-5679
	3-0	2	45	Black	12	SURGALLOY™ Wax Coated	SS-5679-G
<b>3/8 CIRCLE</b> 24 mm 	3-0	2	45	Black	36	SURGALLOY™ Wax Coated	SS-5684
	3-0	2	45	Black	12	SURGALLOY™ Wax Coated	SS-5684-G
	2-0	3	45	Black	12	SURGALLOY™ Wax Coated	SS-5685-G

**Premium Point Reverse Cutting**


Description	Size	Size (Metric)	Length (cm)	Color	Units per box	Phasing-out	Reorder code
<b>3/8 CIRCLE</b> 7.4 mm 	7-0	0.5	45	Black	12	SURGALLOY™	S-1768-K
<b>3/8 CIRCLE</b> 7 mm  Curvature 158° Chord Lgth 5.76 mm Radius 3.18 mm	6-0	0.7	45	Black	12	Silicone Coated	S-1769

**Premium Point Reverse Cutting**


Description		Size	Size (Metric)	Length (cm)	Color	Units per box		Phasing-out	Reorder code
3/8 CIRCLE 9 mm	 HE-5 Curvature 130° Chord Lgth 6.96 mm Radius 3.94 mm	6-0	0.7	30	Black	12	Silicone Coated		S-1746
3/8 CIRCLE 11 mm	 HE-1 Curvature 130° Chord Lgth 9.66 mm Radius 5.33 mm	6-0	0.7	45	Black	12	Silicone Coated		S-1750
3/8 CIRCLE 13 mm	 HE-3 Curvature 130° Chord Lgth 10.37 mm Radius 5.72 mm	4-0	1.5	45	Black	12	Wax Coated		S-1789
3/8 CIRCLE 13 mm	 HE-3 Curvature 130° Chord Lgth 10.37 mm Radius 5.72 mm	4-0	1.5	45	Black	12	Wax Coated		S-1783

**Sofsilik™** Coated, Braided Silk Non-Absorbable Sutures


**Premium Point Reverse Cutting**

Description	Size	Size (Metric)	Length (cm)	Color	Units per box	Coating	Phasing-out	Reorder code
<b>1/2 CIRCLE</b> 7 mm  Curvature 170° Chord Lgth 4.80 mm Radius 2.41 mm  	<b>6-0</b>	0.7	45	Black	12	Silicone Coated		S-1765

**Conventional Cutting**



Description	Size	Size (Metric)	Length (cm)	Color	Units per box	Coating	Phasing-out	Reorder code
<b>3/8 CIRCLE</b> 90 mm  	<b>2-0</b>	3	100	Black	36	Wax Coated		<b>CS-791</b>
	<b>0</b>	3.5	100	Black	36	Wax Coated		<b>CS-792</b>
	<b>1</b>	4	100	Black	36	Wax Coated		<b>CS-793</b>
	<b>2</b>	5	100	Black	36	Wax Coated		<b>CS-794</b>

**Cosmetic Conventional Cutting**



Description	Size	Size (Metric)	Length (cm)	Color	Units per box	Coating	Phasing-out	Reorder code
<b>3/8 CIRCLE</b> 11 mm  	<b>6-0</b>	0.7	45	Black	12	DermaX™ Silicone Coated		XS-639

**Sofsilk™** Coated, Braided Silk Non-Absorbable Sutures



**Cosmetic Conventional Cutting**


Description	Size	Size (Metric)	Length (cm)	Color	Units per box	Phasing-out	Reorder code
3/8 CIRCLE 16 mm 	5-0	1	45	Black	12	DermaX™ Wax Coated	XS-1925
3/8 CIRCLE 19 mm 	4-0	1.5	45	Black	12	DermaX™ Wax Coated	XS-1984

**Spatula**

Description	Size	Size (Metric)	Length (cm)	Color	Units per box	Phasing-out	Reorder code
1/4 CIRCLE 8.6 mm 	4-0	1.5	45	White	12	Silicone Coated	S-2792
1/4 CIRCLE 8 mm   Curvature 90° Chord Lgth 7.18 mm Radius 5.08 mm	6-0	0.7	45	Black	12	Silicone Coated	S-2780
	4-0	1.5	45	White	12	Silicone Coated	S-2782




**Sofsilik™** Coated, Braided Silk Non-Absorbable Sutures

Spatula								
Description	Size	Size (Metric)	Length (cm)	Color	Units per box	Phasing-out	Reorder code	
<b>1/4 CIRCLE</b> 10 mm   Curvature 90° Chord Lgth 8.44 mm Radius 5.97 mm	6-0	0.7	45	Black	12	Silicone Coated	S-1780	
<b>3/8 CIRCLE</b> 8 mm   Curvature 130° Chord Lgth 6.49 mm Radius 3.56 mm	6-0	0.7	45	Black	12	Silicone Coated	S-5610	






Premium Spatula								
Description	Size	Size (Metric)	Length (cm)	Color	Units per box	Phasing-out	Reorder code	
<b>1/4 CIRCLE</b> 6 mm   Curvature 100° Chord Lgth 5.90 mm Radius 3.94 mm Microns 200	8-0	0.4	30	Black	12	SURGALLOY™ Silicone Coated	S-2767	
	8-0	0.4	45	Black	12	SURGALLOY™ Silicone Coated	S-2176	

**Sofsilik™** Coated, Braided Silk Non-Absorbable Sutures






Premium Spatula								
Description	Size	Size (Metric)	Length (cm)	Color	Units per box		Phasing-out	Reorder code
<b>3/8 CIRCLE</b> 6 mm  Curvature 135° Chord Lgth 4.80 mm Radius 2.60 mm Microns 200	 SE-140-8	8-0	0.4	30	Black	12	SURGALLOY™ Silicone Coated	S-2752
		8-0	0.4	45	Black	12	SURGALLOY™ Silicone Coated	S-1734
		7-0	0.5	45	Black	12	SURGALLOY™ Silicone Coated	S-1733
		6-0	0.7	45	Black	12	SURGALLOY™ Silicone Coated	S-1732

Taper Point								
Description	Size	Size (Metric)	Length (cm)	Color	Units per box		Phasing-out	Reorder code
<b>3/8 CIRCLE</b> 9 mm   CV-1	6-0	0.7	45	Black	36	SURGALLOY™ Silicone Coated		VS-802
<b>3/8 CIRCLE</b> 9 mm   CV-1	7-0	0.5	45	Black	36	SURGALLOY™ Silicone Coated		VS-809
	6-0	0.7	45	Black	36	SURGALLOY™ Silicone Coated		VS-810
<b>3/8 CIRCLE</b> 13 mm   CV-11	6-0	0.7	75	Black	36	SURGALLOY™ Silicone Coated		VS-889
	5-0	1	75	Black	36	SURGALLOY™ Wax Coated		<b>VS-890</b>
	4-0	1.5	75	Black	36	SURGALLOY™ Wax Coated		VS-891

**Sofsilk™** Coated, Braided Silk Non-Absorbable Sutures




Taper Point									
Description	Size	Size (Metric)	Length (cm)	Color	Units per box		Phasing-out	Reorder code	
<b>3/8 CIRCLE</b> 13 mm  	6-0	0.7	45	Black	36	SURGALLOY™ Silicone Coated		VS-806	
	4-0	1.5	45	Black	36	SURGALLOY™ Wax Coated		VS-709	
<b>3/8 CIRCLE</b> 17 mm  	5-0	1	75	Black	36	SURGALLOY™ Wax Coated		VS-880	
	4-0	1.5	75	Black	36	SURGALLOY™ Wax Coated		VS-591	
	4-0	1.5	75	Black	36	SURGALLOY™ Wax Coated		VS-881	
	3-0	2	75	Black	36	SURGALLOY™ Wax Coated		VS-882	
<b>3/8 CIRCLE</b> 17 mm  	4-0	1.5	60	Black	36	SURGALLOY™ Wax Coated		VS-581	
<b>1/2 CIRCLE</b> 12 mm  	5-0	1	45	Black	36	SURGALLOY™ Wax Coated		CS-210	
	4-0	1.5	45	Black	36	SURGALLOY™ Wax Coated		CS-211	
<b>1/2 CIRCLE</b> 13 mm  	4-0	1.5	5x45	Black	24	Wax Coated D-TACH™		GS-44-M	
	4-0	1.5	5x45	Black	24	Wax Coated		GS-440-M	

**Sofsilik™** Coated, Braided Silk Non-Absorbable Sutures

Taper Point									
Description	Size	Size (Metric)	Length (cm)	Color	Units per box	Coating	Phasing-out	Reorder code	
1/2 CIRCLE 17 mm  	5-0	1	5x45	Black	24	Wax Coated D-TACH™		GS-45-M	
	5-0	1	75	Black	36	SURGALLOY™ Wax Coated		VS-870	
	4-0	1.5	75	Black	36	SURGALLOY™ Wax Coated		VS-871	
	3-0	2	5x45	Black	24	Wax Coated D-TACH™		<b>GS-47-M</b>	
	3-0	2	75	Black	36	SURGALLOY™ Wax Coated		<b>VS-872</b>	
	2-0	3	75	Black	36	Wax Coated		VS-873	
1/2 CIRCLE 17 mm  	4-0	1.5	60	Black	36	SURGALLOY™ Wax Coated		VS-671	
1/2 CIRCLE 20 mm  	4-0	1.5	75	Black	36	Wax Coated		<b>GS-451</b>	
	3-0	2	75	Black	36	Wax Coated		<b>GS-452</b>	
	2-0	3	75	Black	36	Wax Coated		<b>GS-453</b>	
1/2 CIRCLE 22 mm  	4-0	1.5	5x45	Black	24	Wax Coated D-TACH™		<b>GS-34-M</b>	
	3-0	2	5x45	Black	24	Wax Coated D-TACH™		GS-33-M	
	3-0	2	5x75	Black	24	Wax Coated D-TACH™		GS-30-M	
1/2 CIRCLE 22 mm  	3-0	2	75	Black	36	SURGALLOY™ Wax Coated		VS-552	



**Sofsilik™** Coated, Braided Silk Non-Absorbable Sutures


Taper Point								
Description	Size	Size (Metric)	Length (cm)	Color	Units per box	Phasing-out	Reorder code	
1/2 CIRCLE 22 mm 	2-0	3	75	Black	36	Wax Coated	CS-562	
1/2 CIRCLE 22 mm H 	0	3.5	5x45	Black	24	Wax Coated D-TACH™	CS-92-M	
1/2 CIRCLE 26 mm 	4-0	1.5	5x45	Black	24	Wax Coated D-TACH™	GS-64-M	
	4-0	1.5	75	Black	36	Wax Coated	GS-831	
	4-0	1.5	5x75	Black	24	Wax Coated D-TACH™	GS-68-M	
	3-0	2	5x45	Black	24	Wax Coated D-TACH™	GS-63-M	
	3-0	2	75	Black	36	Wax Coated	GS-832	
	3-0	2	5x75	Black	24	Wax Coated D-TACH™	GS-67-M	
	2-0	3	5x45	Black	24	Wax Coated D-TACH™	GS-62-M	
	2-0	3	75	Black	36	Wax Coated	GS-833	
	2-0	3	5x75	Black	24	Wax Coated D-TACH™	GS-66-M	
	2-0	3	120	Black	24	Wax Coated	ES-439	
	0	3.5	5x45	Black	24	Wax Coated D-TACH™	GS-61-M	
	0	3.5	75	Black	36	Wax Coated	GS-834	
	1	4	75	Black	36	Wax Coated	GS-835	
	1	4	75	White	36	Wax Coated	VS-835	

**Sofsilk™** Coated, Braided Silk Non-Absorbable Sutures



Taper Point								
Description	Size	Size (Metric)	Length (cm)	Color	Units per box		Phasing-out	Reorder code
1/2 CIRCLE 26 mm  	2-0	3	90	Black	36	SURGALLOY™ Wax Coated		VS-533
	0	3.5	90	Black	36	Wax Coated		VS-534
1/2 CIRCLE 27 mm  	2-0	3	5x45	Black	24	Wax Coated D-TACH™		CS-16-M
	0	3.5	5x45	Black	24	Wax Coated D-TACH™		CS-17-M
	1	4	75	Black	36	Wax Coated		CS-100
1/2 CIRCLE 27 mm H  	0	3.5	5x45	Black	24	Wax Coated D-TACH™		CS-85-M
1/2 CIRCLE 30 mm  	3-0	2	75	Black	36	Wax Coated		GS-822
	2-0	3	75	Black	36	Wax Coated		<b>GS-823</b>
	0	3.5	75	Black	36	Wax Coated		GS-824

**Sofsilik™** Coated, Braided Silk Non-Absorbable Sutures

Taper Point									
Description	Size	Size (Metric)	Length (cm)	Color	Units per box	Phasing-out	Reorder code		
1/2 CIRCLE 37 mm  	3-0	2	75	Black	36	Wax Coated	•	VS-842	
	2-0	3	75	Black	36	Wax Coated		VS-843	
	0	3.5	75	Black	36	Wax Coated		VS-844	
	1	4	75	Black	36	Wax Coated		VS-845	
	1	4	75	White	36	Silicone Coated		CS-744	
	2	5	75	Black	36	Wax Coated		VS-846	
1/2 CIRCLE 37 mm  	2-0	3	75	Black	36	Wax Coated		CS-423	
	0	3.5	5x45	Black	24	Wax Coated D-TACH™		CS-10-M	
	0	3.5	75	Black	36	Wax Coated		CS-424	
	1	4	75	Black	36	Wax Coated		CS-425	
	2	5	75	White	36	Silicone Coated		CS-426	
	2	5	100	White	36	Silicone Coated		CS-434	
1/2 CIRCLE 40 mm  	2	5	75	Black	36	Wax Coated		CS-575	
STRAIGHT 19 mm  	2-0	3	120	Black	24	Wax Coated	•	ES-33	

Tapercutting									
Description	Size	Size (Metric)	Length (cm)	Color	Units per box	Phasing-out	Reorder code		
3/8 CIRCLE 17 mm  	3-0	2	75	Black	36	SURGALLOY™ Wax Coated		S-584	

**Sofsilk™** Coated, Braided Silk Non-Absorbable Sutures

Tapercutting								
Description	Size	Size (Metric)	Length (cm)	Color	Units per box	Phasing-out	Reorder code	
1/2 CIRCLE 17 mm 	3-0	2	75	Black	36	SURGALLOY™ Wax Coated	VS-863	
1/2 CIRCLE 26 mm 	2-0	3	75	Black	36	SURGALLOY™ Wax Coated	VS-964	

## Sofsilik™ Coated, Braided Silk Non-Absorbable Sutures

Index					
Reorder code	Page	Reorder code	Page	Reorder code	Page
CS-10-M	17	GS-64-M	15	S-183	1
CS-100	16	GS-66-M	15	S-184	1
CS-16-M	16	GS-67-M	15	S-185	1
CS-17-M	16	GS-68-M	15	S-187	1
CS-210	13	GS-822	16	S-193	1
CS-211	13	GS-823	16	S-194	1
CS-390	5	GS-824	16	S-195	1
CS-423	17	GS-831	15	S-196	1
CS-424	17	GS-832	15	S-197	1
CS-425	17	GS-833	15	S-199	1
CS-426	17	GS-834	15	S-203	2
CS-434	17	GS-835	15	S-204	2
CS-482	4	LS-636	2	S-205	2
CS-483	4	LS-637	2	S-206	2
CS-490	5	LS-638	2	S-2176	11
CS-562	15	LS-639	2	S-243	1
CS-575	17	LS-640	2	S-244	1
CS-744	17	S-1172	2	S-245	1
CS-791	9	S-1173	2	S-246	1
CS-792	9	S-1174	2	S-2752	12
CS-793	9	S-1272	2	S-2767	11
CS-794	9	S-1273	2	S-2780	10
CS-85-M	16	S-1274	2	S-2782	10
CS-92-M	15	S-1373	2	S-2792	10
ES-33	17	S-1633	2	S-282	1
ES-439	15	S-1732	12	S-303	1
GS-30-M	14	S-1733	12	S-304	1
GS-33-M	14	S-1734	12	S-305	1
GS-34-M	14	S-1735	2	S-316	1
GS-44-M	13	S-1746	8	S-317	1
GS-440-M	13	S-1750	8	S-318	1
GS-45-M	14	S-176	1	S-346	1
GS-451	14	S-1765	9	S-5610	11
GS-452	14	S-1768-K	7	S-584	17
GS-453	14	S-1769	7	S-605	1
GS-47-M	14	S-1780	11	S-606	1
GS-61-M	15	S-1783	8	S-607	1
GS-62-M	15	S-1789	8	S-608	1
GS-63-M	15	S-182	1	SS-1639-G	6

Index					
Reorder code	Page	Reorder code	Page	Reorder code	Page
SS-1650-G	6	SS-654	3	VS-534	16
SS-1689-G	6	SS-655	3	VS-552	14
SS-523	5	SS-656	3	VS-581	13
SS-525	5	SS-657	3	VS-591	13
SS-5639	6	SS-673	3	VS-671	14
SS-5640	6	SS-675	4	VS-709	13
SS-5640-G	6	SS-677	4	VS-802	12
SS-5641-G	6	SS-677-G	4	VS-806	13
SS-5649-G	6	SS-678	4	VS-809	12
SS-5676	7	SS-678-G	4	VS-810	12
SS-5677	7	SS-679	4	VS-835	15
SS-5677-G	7	SS-680	4	VS-842	17
SS-5678	6	SS-681	3	VS-843	17
SS-5679	7	SS-682	3	VS-844	17
SS-5679-G	7	SS-682-G	3	VS-845	17
SS-5684	7	SS-683	3	VS-846	17
SS-5684-G	7	SS-683-G	3	VS-863	18
SS-5685-G	7	SS-684	3	VS-870	14
SS-621	6	SS-684-G	3	VS-871	14
SS-622	6	SS-685	4	VS-872	14
SS-623	6	SS-685-G	4	VS-873	14
SS-623-G	6	SS-686	3	VS-880	13
SS-624	6	SS-689	4	VS-881	13
SS-629	3	SS-694	3	VS-882	13
SS-630	5	SS-695	3	VS-889	12
SS-631	5	SS-70-M	4	VS-890	12
SS-632	5	SS-722	6	VS-891	12
SS-633	5	SS-723	6	VS-964	18
SS-633-G	5	SS-732	5	XS-1925	10
SS-636	5	SS-733	5	XS-1984	10
SS-637	5	SS-734	5	XS-639	9
SS-645	3	SS-745	3		
SS-646	4	SS-746	3		
SS-647	4	SS-783	3		
SS-648	4	SS-784	3		
SS-649	4	SS-785	3		
SS-651	4	SS-786	3		
SS-652	3	SS-787	3		
SS-653	3	VS-533	16		